



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO |
|-------------------|-------------------|----------------------|-------------------------|------------------|
| 09/780,986 | 02/09/2001 | Michael Brumbaugh | 10812/3 | 2253 |
| 75 | 90 01/02/2004 | EXAMINER | | |
| BRINKS HOP | ER GILSON & LIONI | ° COHEN, AMY R | | |
| P.O Box 10395 | | | | D. DED 14 D. DED |
| Chicago, IL 60610 | | | ART UNIT | PAPER NUMBER |
| | | | 2859 | |
| | | | DATE MAILED: 01/02/2004 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | · | |
|--|--|--|
| | Application No. | Applicant(s) |
| | 09/780,986 | BRUMBAUGH, MICHAEL |
| Office Action Summary | Examiner | Art Unit |
| | Amy R Cohen | 2859 |
| The MAILING DATE of this communication ap Period for Reply | pears on the cover sheet w | ith the correspondence address |
| A SHORTENED STATUTORY PERIOD FOR REPL | VIS SET TO EXPIRE 3 M | IONTH(S) FROM |
| THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. If the period for reply specified above is less than thirty (30) days, a rep. If NO period for reply is specified above, the maximum statutory period. Failure to reply within the set or extended period for reply will, by statut. Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status | 136(a). In no event, however, may a color within the statutory minimum of third will apply and will expire SIX (6) MON the, cause the application to become Al | reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133). |
| 1) Responsive to communication(s) filed on Ame | endment and RCE 27 Octo | <u>bber 2003</u> . |
| | s action is non-final. | |
| 3) Since this application is in condition for allows closed in accordance with the practice under | ance except for formal mat Ex parte Quayle, 1935 C.D | ters, prosecution as to the merits is D. 11, 453 O.G. 213. |
| Disposition of Claims | | |
| 4) Claim(s) 25-29,33,37-41,45 and 48-54 is/are | pending in the application. | |
| 4a) Of the above claim(s) is/are withdra | awn from consideration. | |
| 5) Claim(s) is/are allowed. | | |
| 6) Claim(s) <u>25-29,33,37-41,45 and 48-54</u> is/are | rejected. | |
| 7) Claim(s) is/are objected to. | or election requirement | |
| 8) Claim(s) are subject to restriction and/ | or election requirement. | |
| Application Papers | | |
| 9) The specification is objected to by the Examin | | |
| 10)⊠ The drawing(s) filed on <u>25 October 2002</u> is/ar | | |
| Applicant may not request that any objection to the Replacement drawing sheet(s) including the corre | | |
| 11) The oath or declaration is objected to by the E | | |
| Priority under 35 U.S.C. §§ 119 and 120 | Examiner. Note the attache | d Cindo ridador di Tellin V v Civezi |
| 12) Acknowledgment is made of a claim for foreign | an priority under 35 H.S.C. | 8 119(a)-(d) or (f) |
| a) All b) Some * c) None of: | gii priority under 33 0.0.0. | § 110(a)-(a) of (i). |
| 1. Certified copies of the priority documer | | A college Comp. No. |
| 2. Certified copies of the priority documer3. Copies of the certified copies of the pri | nts have been received in A ority documents have been | Application No Treceived in this National Stage |
| application from the International Bure | | 11000.100 iii tiilo 11a.io.ta. otago |
| * See the attached detailed Office action for a lis | st of the certified copies not | t received. |
| 13) Acknowledgment is made of a claim for domes since a specific reference was included in the fi 37 CFR 1.78. | irst sentence of the specific | cation or in an Application Data Sheet. |
| a) The translation of the foreign language p | | |
| 14) Acknowledgment is made of a claim for domes reference was included in the first sentence of | stic priority under 35 U.S.C the specification or in an A | . 99 120 and/or 121 since a specific pplication Data Sheet. 37 CFR 1.78. |
| Attachment(s) | | |
| 1) Notice of References Cited (PTO-892) | | Summary (PTO-413) Paper No(s) |
| 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) | · — | Informal Patent Application (PTO-152) . |

Art Unit: 2859

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 25-29, 33, 37-41, 45, 48-54 are rejected under 35 U.S.C. 103(a) as being unpatentable over ENC 150 Encoder Mounting Instructions [hereinafter ACU-RITE] in view of Pasek (U. S. Patent No. 3,526,947).

ACU-RITE discloses a method of mounting a position measuring device to a machine tool, comprising: forming holes in a machine tool based on positions of a plurality of mounting holes; aligning said mounting holes of said position measuring device with said holes formed in said machine tool; and attaching said position measuring device to said machine tool (Steps "Saddle Stops" and "Encoder Installation," page 2).

ACU-RITE discloses the method of mounting a position measuring device wherein said position measuring device comprises a linear encoder and wherein attaching said position measuring device comprises inserting screws into said aligned mounting holes of said position measuring device and said holes formed in said machine tool (Step "Encoder Installation," page 3 and "Cross Feed Installation" figure, page 4).

ACU-RITE discloses the method of mounting wherein said machine tool does not move along an axis of travel from the time of positioning to said time of attaching said position measuring device (Step "Encoder Installation," pages 2-3).

Art Unit: 2859

ACU-RITE discloses the method of mounting comprising attaching said position measuring device to said reading head bracket prior to said positioning and comprising positioning said reading head bracket against said machine tool; and marking mounting holes of said reading head bracket on said machine tool (Steps "Encoder Installation" and "Reading Head Installation," pages 2-3).

ACU-RITE discloses the method of mounting comprising detaching said position measuring device from said reading head bracket; and attaching said reading head bracket to said machine tool where said mounting holes are located (Steps "Center Support Installation" and "Reading Head Installation," page 3).

ACU-RITE discloses a method of mounting a position measuring device to a machine tool, comprising: a spar that is to support a position measuring device; forming holes in said machine tool based on positions of a plurality of mounting holes in the spar; aligning said mounting holes of said spar with said holes formed in said machine tool; attaching said spar to said machine tool, and attaching said position measuring device to said spar (Steps "Cross Feed Installation" figure, page 4 and "Spar Assembly," page 5-6).

ACU-RITE discloses the method of mounting wherein said attaching of said spar comprises inserting screws into said aligned mounting holes of said position measuring device and said holes formed in said machine tool and wherein said machine tool does not move along an axis of travel from the time of positioning to said time of attaching said spar to said machine tool (Step "Spar Assembly," pages 5-6).

ACU-RITE discloses the method of mounting wherein said attaching of said position measuring device to said machine tool comprises: attaching said position measuring device by

Art Unit: 2859

inserting screws in said holes in said machine tool, and attaching said reading head to said reading head bracket (Step "Leveling screw adjustment" page 3).

ACU-RITE does not disclose a method of mounting comprising a template comprising a plurality of mounting holes wherein the template is not a linear encoder and wherein the template is supported on a machine tool during positioning; attaching a template to the reading head bracket; marking all necessary mounting holes on the machine tool through said plurality of holes of the template; detaching the template from the reading head bracket.

Pasek discloses a method of mounting comprising a template (20) provided with a plurality of markings (24) which are the locations of all of the mounting holes (providing the markings is equivalent to providing the holes since the holes will be made at the markings, Fig. 5), wherein the template is not a linear encoder (Fig. 5); wherein the template is supported on a support during positioning, attaching a template to the member; marking all necessary mounting holes on the support through said plurality of holes of the template; detaching the template from the member; wherein attaching said template to said member comprises aligning said template with said member; wherein attaching said template to said member comprises aligning said template with respect to an axis (Col 1, lines 23-27, Col 2, lines 40-54, Col 9, line 25-Col 12, line 20).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the method of mounting of ACU-RITE to include a template comprising a plurality of mounting holes, wherein the template is not the linear encoder and wherein the template is supported by the machine tool and wherein the template is attached and detached from the reading head bracket, as taught by Pasek, so that a user could save time when installing

a linear encoder by using a template which has a plurality of mounting holes and so that a user could install a liner encoder without having to maneuver the linear encoder several times before permanent installation on a machine tool and since the problem of mounting a device to a support using a template attached to and removed from both objects is already suggested by Pasek (Col 1, lines 23-27 and Col 2, lines 40-54).

Page 5

Response to Arguments

- 3. Applicant's arguments, see Amendment and RCE, filed 27 October 2003, with respect to the rejection(s) of claim(s) 25-37 and 37-45 under 35 U.S.C. 103 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of ENC 150 Encoder Mounting Instructions [hereinafter ACU-RITE] in view of Pasek (U. S. Patent No. 3,526,947).
- In response to applicant's argument that Nygren is nonanalogous art, it has been held that 4. a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See In re Oetiker, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, the rejection in view of Nygren has been withdrawn and the new rejection of ACU-RITE in view of Pasek has been used. The Pasek reference discloses the use of a template, which is to be mounted to both the support and the member to be mounted in order to mark all appropriate mounting marks and removing the template from the support and member prior to attaching the member. Since the Pasek reference

Art Unit: 2859

solves the particular problem with which the applicant is concerned, it is therefore considered

analogous art.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Amy R Cohen whose telephone number is (703) 305-4972. The

examiner can normally be reached on 8 am - 5 pm, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Diego F. Gutierrez can be reached on (703) 308-3875. The fax phone number for the

organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703) 308-0956.

ARC

December 18, 2003

AU 2859

Supervisory Examiner

Page 6

Tech Center 2800